

PRO-LOK[®]

THE **SOLID** SOLUTION

Microphone Cables

Guitar / Instrument Cables

Speaker Cables

Patch Cables

Snakes

Connectors

Bulk Cable



www.prolok-usa.com

**PRO-S 25'G-MIC**

XLR Male to XLR Female, Velcro cable tie included. GREY.
Available in 3' (0.91m), 6' (1.8m), 10' (3.04m), 25' (7.62m), 30' (9.14m), 50' (15.24m) and 100' (30.48m)

**PRO-S 25'-MIC**

XLR Male to XLR Female, Velcro cable tie included. BLACK.
Available in 3' (0.91m), 6' (1.8m), 10' (3.04m), 25' (7.62m), 30' (9.14m), 50' (15.24m) and 100' (30.48m)

**PRO-S GTR-RA20TG**

Golden connectors, Tw, 20' (6.09m), Heavy Duty braided cable, black & yellow, Velcro cable tie included.
Available in 3' (0.91m), 6' (1.8m), 10' (3.04m), 25' (7.62m), 30' (9.14m), 50' (15.24m) and 100' (30.48m)

**PRO-S GUITAR-RA20**

Instrument/Patch Cable, 1/4" male to 1/4" male, Velcro cable tie included. BLACK.
Available in 3' (0.91m), 6' (1.8m), 10' (3.04m), 25' (7.62m), 30' (9.14m), 50' (15.24m) and 100' (30.48m)

**PRO-S GUITAR-20**

Instrument/Patch Cable, 1/4" male to 1/4" male, Velcro cable tie included. BLACK.
Available in 3' (0.91m), 6' (1.8m), 10' (3.04m), 25' (7.62m), 30' (9.14m), 50' (15.24m) and 100' (30.48m)

**PRO-S GTR-20TG**

Chromed connectors, Tw, 20' (6.09m), Heavy Duty braided cable, black & yellow, Velcro cable tie included.
Available in 3' (0.91m), 6' (1.8m), 10' (3.04m), 25' (7.62m), 30' (9.14m), 50' (15.24m) and 100' (30.48m)



PRO-LOK



PRO-LOK's musical instrument series cables are manufactured with premium low-noise cables and high quality connectors. With powerful, eye-catching packaging and backed with a "Limited Lifetime warranty", you are sure to find a cable that suits any performance criteria.

Rely upon PRO-LOK cables to reproduce your music as naturally as the first time it was created!

INSTRUMENT



PCG20QTW

Instrument/Patch cable
1/4" male to 1/4" male
20' (6.09m)
BLACK and GOLD, BLACK
and RED
Tweed
Velcro Cable tie included
Master Carton - 50 pcs



Heavy duty tweed cable
Black & Gold



PCG10Q 10 foot
PCG20Q 20 foot
Instrument/Patch Cable
1/4" to 1/4"
(3.04m) Patch
Velcro cable tie included
BLACK
Master Carton - 50 pcs.



Heavy duty braided cable
Black & Red

PCG20QBR

Instrument/Patch cable
1/4" male to 1/4" male
20' (6.09m)
Velcro cable tie included
Black/Red
Master Carton - 50 pcs.



PRO-LOK



PRO-LOKs series of instrument cables are manufactured using high-quality cables and connectors. Backed by a "Lifetime Warranty", you will find that PRO-LOK cables will perform consistently from performance to performance. PRO-LOK's PCG series cables are available in a variety of exciting colors for a dynamic stage presence.



PCG20QNK-BK
BLACK



PCG20QNK-BL
BLUE

Instrument/Patch Cable
1/4" to 1/4"
20' (6.09m)
Velcro cable tie included
Master Carton - 50 pcs



PCG20QNK-RD
RED



Velcro cable tie included



Pro-Lok Connectors



Premium low noise cable



Colour option list



The series is a high performance instrument cable with noiseless , long unbalance leads for equipment. All card has double protector PVC jacket. There are different diameters 0.04.0mm-0.08.0mm



PRO-LOK cables are the choice of musicians who rely upon their cables and cannot take any chances with their performances. PRO-LOK balanced microphone cables are available in lengths from 3 feet to 100 feet for every possible application!

MIC



PCM25XNK-BK
Lo-impedance microphone Cable
XLR Male to XLR Female
25' (0.91m)
Velcro Cable tie included
Master Carton - 50 pcs



PCM25XNK-BL



PCM25XNK-RD



PCM25XQNK / BK / BL / RD
Hi-impedance microphone Cable
1/4" Male to XLR Female
25' (7.62m)
Velcro Cable tie included
Master Carton - 50 pcs



PCM50XNK-BK
Lo-impedance microphone Cable
XLR Male to XLR Female
50' (1.82m) Microphone Cable
Velcro Cable tie included
Master Carton - 25 pcs



PCM50XNK-BL



PCM50XNK-RD



Also available
PCM100XNK-BK
PCM100XNK-BL
100 Ft Mic Cable



PRO-LOK patch cables are built with high-quality, low-noise cable and are offered in Black, Red or Blue to give your performances a shot of color and the confidence in knowing this product will not let you down!

MIC



PCM3XNK- BK / BL / RD
Lo-impedance patch Cable
XLR Male to XLR Female
3' (0.91m)
Velcro Cable tie included
Master Carton - 50 pcs




PCM6XNK- BK / BL / RD
Lo-impedance patch Cable
XLR Male to XLR Female
6' (1.82m)
Velcro Cable tie included
Master Carton - 100 pcs.



Premium low noise cable



PCM10XNK -BK / BL / RD
Lo-impedance patch / microphone Cable
XLR Male to XLR Female
10' (3.04m)
Velcro Cable tie included
Master Carton - 50 pcs.



PRO-LOK offers a variety of patch cables for most performance and recording scenarios. Packages of assorted 3 foot and 6 foot colored patch cables as well as black three and six foot individual cables. Finishing out the category are Tip Ring Sleeve (stereo) patch cables and 1/4" to 3.5" connectors. All presented in eye-catching packaging and backed with PRO-LOK's lifetime warranty.

PATCH



PCP10Q-3.5
10' instrument/patch cable (3.04m)
1/4" Male to 3.5 Male
Master Carton - 50 pcs.




PCP10TRS-3.5
10' instrument/patch cable (3.04m)
1/4" TRS Male to 3.5 TRS Male
Master Carton - 50 pcs.



PCP3Q-PK
Pack of 3 pcs. Multicolor
Instrument / patch cable
3' (0,91m) Patch
1/4" Male to 1/4" Male
Master Carton - 50 pcs.

PCP06Q-PK
Pack of 6 pcs. Multicolor
Instrument / patch cable
6' (1.82m) Patch /
1/4" Male to 1/4" Male
Master Carton - 50 pcs.



PCP3Q
3' instrument/patch cable
3' (0,91m) Patch /
1/4" Male to 1/4" Male
Master Carton - 50 pcs.

PCP06Q
6' instrument/patch cable
6' (1.82m) Patch /
1/4" Male to 1/4" Male
Master Carton - 50 pcs.



PCP6T
6' instrument/patch cable
1/4" TRS Male to 1/4" TRS Male
Master Carton - 50 pcs.



PRO-LOK's PC series of Y cables is made up of 3' and 10' variations of connectors using high-quality, low-noise cable. There is a wide option of Y cables using TRS, 1/4" and RCA male and female connectors. You can rely upon PRO-LOK for your performance and recording cable needs and they are all backed by a "Limited Lifetime Warranty"



PCY-3Q2Q 3'
PCY-10Q2Q 10'
1/4" Male to
(2) 1/4" Male
Master Carton 50 pcs.



PCY-3Q2R 3'
PCY-10Q2R 10'
1/4" Male to
(2) RCA Male
Master Carton 50 pcs.



PCY-3M2R 3'
PCY-10M2R 10'
3.5mm Male to
(2) RCA Male
Master Carton 50 pcs.



PCY-10M2Q 10'
3.5mm Male to
(2) 1/4" Male
Master Carton 50 pcs.



PCI3T2Q
3' TRS Male to (2) 1/4" Male
Master Carton 50 pcs.



PCI10T2Q
10' TRS Male to (2) 1/4" Male
Master Carton 50 pcs.



PCI3T2R
3' TRS Male to (2) RCA Male
Master Carton 50 pcs.



PCI10T2R
10' TRS Male to (2) RCA Male
Master Carton 50 pcs.



PCI3M2Q
3' TRS 3.5mm Male to
(2) 1/4" Male
Master Carton 50 pcs.



PCI10M2Q
10' TRS 3.5mm Male to
(2) 1/4" Male
Master Carton 50 pcs.



PCI3M2R
3' TRS 3.5mm Male to
(2) RCA Male
Master Carton 50 pcs.



PCI10M2R 10' TRS 3.5mm
Male to (2) RCA Male
Master Carton 50 pcs.



PRO-LOK speaker cables are designed to deliver your music to the speakers with the most natural sound possible. By using high-quality connectors and cable, PRO-LOK cables are low-noise and will reproduce the true sound of your music. You can count on PRO-LOK to deliver the sound you create!

SPEAKER



PCS-30-14N-NK

PCS-50-14N-NK

30' and 50' available in 12 or 14 gauge

Speaker Cable

Speakon to Speakon

Master Carton - 50 pcs

Premium low noise cable

PCS-6-14N-NK	Speaker Cable	* 6' (1,82m) 14 Gauge	* Speakon to Speakon	* Master Carton - 50 pcs
PCS-10-14N-NK	Speaker Cable	* 10' (3,04m) 14 Gauge	* Speakon to Speakon	* Master Carton - 50 pcs
PCS-30-12N-NK	Speaker Cable	* 30' (9,14m) 12 Gauge	* Speakon to Speakon	* Master Carton - 30 pcs
PCS-30-14N-NK	Speaker Cable	* 30' (3,04m) 14 Gauge	* Speakon to Speakon	* Master Carton - 50 pcs
PCS-50-12N-NK	Speaker Cable	* 50' (15,24m) 12 Gauge	* Speakon to Speakon	* Master Carton - 50 pcs
PCS-50-14N-NK	Speaker Cable	* 50' (3,04m) 14 Gauge	* Speakon to Speakon	* Master Carton - 50 pcs



PCS-10-14Q-NK

10' (3,04m) 14 Gauge

Speaker Cable

1/4" Male to 1/4" Male

Master Carton - 50 pcs

PCS-6-14Q-NK	Speaker Cable	* 6' (1,82m) 14 Gauge	* 1/4" Male to 1/4" Male	* Master Carton - 50 pcs
PCS-10-14Q-NK	Speaker Cable	* 10' (3,04m) 14 Gauge	* 1/4" Male to 1/4" Male	* Master Carton - 50 pcs
PCS-30-14Q-NK	Speaker Cable	* 30' (9,14m) 14 gauge	* 1/4" Male to 1/4" Male	* Master Carton - 50 pcs
PCS-50-14Q-NK	Speaker Cable	* 50' (3,04m) 14 Gauge	* 1/4" Male to 1/4" Male	* Master Carton - 50 pcs



PCS30-14QJNK

30' (9,14m) 14 Gauge

Speaker Cable

Jumbo 1/4" to Jumbo 1/4"

NEUTRIK™ Connectors

Master Carton - 40 pcs.

Jumbo 1/4" to Jumbo 1/4"

PCS30-14QJNK	Speaker Cable	* 30' (9,14m) 14 Gauge	* Jumbo 1/4" to Jumbo 1/4"	* Master Carton - 40 pcs
--------------	---------------	-------------------------	----------------------------	--------------------------






**PCS-30-14NMD
PCS-50-14NMD**
Speakon to MDP (Banana)



**PCS-30-14QNN-NK
PCS-50-14QNN-NK**
Speakon to dual MDP (Banana)



**PCS-30-14QN-NK
PCS-50-14QN-NK**
1/4 male to Speakon



Cable specifications



**PCS-30-14QM-NK
PCS-50-14QM-NK**
1/4 male to MDP (Banana)


PCS-30-14NMD	30' (9.14mm)	14 gauge	Speakon to MDP (Banana)	Master carton- 30 pieces
PCS-50-14NMD	50' (15.24mm)	14 gauge	Speakon to MDP (Banana)	Master carton- 20 pieces
PCS-30-14QNN-NK	30' (9.14mm)	14 gauge	Speakon to dual MDP (Banana)	Master carton- 30 pieces
PCS-50-14QNN-NK	50' (15.24mm)	14 gauge	Speakon to dual MDP (Banana)	Master carton- 20 pieces
PCS-30-14QM-NK	30' (9.14mm)	14 gauge	1/4 male to MDP (Banana)	Master carton- 30 pieces
PCS-50-14QM-NK	50' (15.24mm)	14 gauge	1/4 male to MDP (Banana)	Master carton- 20 pieces
PCS-30-14QN-NK	30' (9.14mm)	14 gauge	1/4 male to Speakon	Master carton- 30 pieces
PCS-50-14QN-NK	50' (15.24mm)	14 gauge	1/4 male to Speakon	Master carton- 20 pieces



Since first introduced, PRO-LOK audio snake cables have been the professional's choice for demanding stage and performance applications. The professional designs of the entire line make PRO-LOK cables the obvious choice. From simple hookup cables to complex studio harnessing, only high-grade components and manufacturing techniques are employed. To ensure you are receiving the highest quality cable for your money, rely upon a PRO-LOK cable.


SNAKES

PCSN12X4-100NK



Metal junction box

PCSN16X4-100NK



PCSN12X4-100NK	100' (30.48m) Audio Snake	12 XLR Sends 4 XLR Returns	Master Carton - 1 pc.
PCSN16X4-100NK	100' (30.48m) Audio Snake	16 XLR Sends 4 XLR Returns	Master Carton - 1 pc
PCSN-24X4-100NK	100' (30.48m) Audio Snake	24 XLR Sends 4 XLR Returns	Master Carton - 1 pc
PCS24X8-100NK	100' (30.48m) Audio Snake	24 XLR sends 8 XLR Returns	Master Carton - 1 pc
PCS24X8-150NK	150' (45.72m) Audio Snake	24 XLR sends 8 XLR Returns	Master Carton - 1 pc
PCS32X8-100NK	100' (30.48m) Audio Snake	32 XLR sends, 8 XLR returns	Master Carton - 1 pc
PCS32X10-150NK	150' (45.72m) Audio Snake	33 XLR sends, 10 XLR returns	Master Carton - 1 pc



PCSN32X8-100NK



PCSN32X8-150NK



High quality PRO-LOK connectors



Cable strain relief



Protective bag



PRO-LOK's Professional Series of Studio snakes deliver exceptional performance and value for multichannel professional, live, or home studio applications. Multiple-gauge, high- and low-frequency wire networks provide accurate and natural sound reproduction. Connection to gear is provided with precision-machined heavy-duty connectors.

Studio Snakes, 10' - 8 Channel



PCML10-8X

10' (3.04m) Patch Snake
(8) XLR Female to (8) XLR Male
Master Carton - 20 pcs



PCML10-8XF-T

10' (3.04m) Patch Snake
(8) XLR Female to (8) TRS Plug
Master Carton - 20 pcs



PCML10-8XM-T

10' (3.04m) Patch Snake
(8) XLR Male to (8) TRS Plug
Master Carton - 20 pcs



PCML10-8QM

10' (3.04m) Patch Snake
(8) 1/4" Plug to (8) 1/4" Plug
Master Carton - 20 pcs



PCML8RM-10

10' (3.04m) Patch Snake
(8) RCA to (8) RCA
Master Carton - 20 pcs



PCML10-8QRM

10' (3.04m) Patch Snake
(8) 1/4" Plug to (8) RCA
Master Carton - 20 pcs.



PLOK-DI-PASSIVE

Direct Injection Box

Converts high impedance unbalanced signals to

Low-level balanced signals

Rugged construction

Solid rubber feet

Clearly printed schematic on top of cover

Unbalanced Input/Output Impedance: 50K Ohms

Balanced I/O is low noise for long-distance and weak signal transmit

Ground button makes the noise of input lower when transmitting

Attenuation button has 3 settings for adjusting input level:

0dB, 20dB, 40dB



PRO-LOK's bulk cable series consists of microphone, speaker and patch cable in 2, 4 & 8 conductor models and 100' & 200' foot lengths. PRO-LOK bulk cable is also backed by PRO-LOK's "Limited Lifetime Warranty". Rely on PRO-LOK's High Conductor USA series for all your cable needs!

Be sure to see PRO-LOK's assortment of connectors to finish off your cables on pages....

ROLLS

PCB-SPK12-100MT

12 Gauge speaker cable
2 Conductor Bulk Cable
100 Meter Roll
Master Carton - 2 pcs

PCB-SPK144-100M

14 Gauge speaker
4 Conductor Bulk Cable
100 Meter Roll
Master Carton - 2 pcs

PCB-SPK148-100M

14 Gauge speaker
8 Conductor Bulk Cable
100 Meter Roll
Master Carton - 1 pcs


PCB-PTCH-100M

Shielded patch cable
Single Conductor Bulk Cable
Shielded (Patch)
100 Meter Roll
Master Carton - 4 pcs


PCB-MIC-100M-BK

Shielded microfone cable
2 Conductor Bulk Cable
Shielded (Microphone)
100 Meter Roll
Master Carton - 4 pcs.

**200 METER CABLE ROLLS
ALSO AVAILABLE**



BULK CABLE / 2 CONDUCTOR



BULK CABLE / 4 & 8 CONDUCTOR



PRO-LOK

PRO-LOK offers a wide range of connectors that make it easy to replace existing cable components or if you are choosing to "build your own". PRO-LOK connectors also make great accessory items and have descriptive header cards and are packaged for display walls and countertops. Look to PRO-LOK for a variety of the most common cable components and wall mount connectors.

ADAPTORS



PCAD-XM-XM
XLR male - XLR Male



PCAD-XF-XF
XLR female - XLR female



PCAD-XF-QF
XLR female - 1/4" female



PCAD-XM-QF
XLR male - 1/4" female



PCAD-XM-QM
XLR male - 1/4" male



PCAD-XF-QM
XLR female - 1/4" male



PCAD-XM-TM
XLR male - 1/4" TRS male



PCAD-XF-TM
XLR female - TRS male



PCAD-XF-R
XLR female - RCA male



PCAD-XM-R
XLR male - RCA male



PCAD-XF-RF
XLR female - RCA female



PCAD-XM-RF
XLR male - RCA female



PCAD-QM-RF
1/4" male to rca female



PCAD-QM-MF Adaptor
1/4" male - 3.5mm female



PCAD-TM-MF Adaptor
TRS" male TRS - 3.5mm fem



PCAD-MM-R2Adaptor
3.5mm male - 2 x RCA male



PCAD-TM-R2 Adaptor
1/4" TRS male - 2 x RCA m



PCAD-RM-RF Adaptor
RCA male - RCA female



PCAD-RM-QF Adaptor
RCA male - 1/4" female



PCAD-MM-RF Adaptor
3.5mm male - RCA female



PCAD-RF-RF Adaptor
RCA female -RCA female



PCAD-RF2-RF2 Adaptor
Dual RCA female -
Dual RCA female



PCAD-RM - RF2 Adaptor
RCA male - 2 x RCA female



PCAD-MMS-TF Adaptor
3.5mm TRS female
1/4" TRS female



ADAPTORS



PCPJUMBOQ
Connector
1/4" Mono "Jumbo" Plug
Master Carton - 400 Pcs.



PCPL280
Connector
1/4" Mono Plug
Master Carton - 1000 Pcs.



PCPL297
Connector
1/4" Stereo Plug
Master Carton - 1000 Pcs.



PCPLA3F
Connector
XLR Female - Inline
Master Carton - 500 Pcs.



PCPLA3M
Connector
XLR Male - Inline
Master Carton - 500 Pcs.



PCPLD3F
Connector
XLR Female - Panel Mount
Master Carton - 500 Pcs.




PCPLMDP
Banana Type Connector
MDP, 2 Conductor
Master Carton- 200 Pcs.



PCPLNL4FC
Connector
4 Conductor Speakon - Inline
Master Carton - 200 Pcs.




PCPLNL8FC
Connector
8 Conductor
Speakon - Inline
Master Carton - 100 Pcs.

**CB/2**


Cable board with 2 channels
 Dimensions: 1000mm (39.4") × 250mm
 × 30mm (1.2") × 30mm (1.2") (L×W×H)
 Weight: 9.6kg (21.2 lbs)
 Capacity: 3 tons

**CB/4**

Cable board with 4 channels
 Dimensions: 805mm (31.7") × 550mm
 (21.7") × 65mm (2.6") (L×W×H)
 Usable Dimensions (each channel):
 805mm (31.7") × 40mm (1.6") × 45mm
 (1.8") (L×W×H)
 Weight: 18.6kg (41 lbs)
 Capacity: 3 tons

**BEST
SELLER!****CB/5**

Cable board with 5 channels
 Dimensions: 800mm (31.5") × 445mm
 (17.5") × 50mm (1.96") (L×W×H)
 Usable Dimensions (each channel):
 800mm (31.5") × 32mm (1.3") × 32mm
 (1.3") (L×W×H)
 Weight: 12.3kg (27.1 lbs)
 Capacity: 5 tons
 Weight: 18.6kg (41 lbs)
 Capacity: 3 tons

**CB/CP4**

Crosspiece with 4 channels
 Dimensions: 550mm (21.7") × 550mm
 (21.7") × 65mm (2.6") (L×W×H)
 Usable Dimensions (each channel): 550mm
 (21.7") × 40mm (1.6") × 45mm (1.8") (L×W×H)
 Weight: 16.5kg (36.4 lbs)
 Capacity: 3 tons

**CB/CORN4**

Corner 30 degrees with 4 channels
 Usable Dimensions (each channel): 40mm
 (1.6") × 45mm (1.8") (W×H)
 Weight: 9.0kg (19.8 lbs)
 Capacity: 3 tons

CB/CORN2

Corner 30 degrees with 2 channels

CB/CORN5

Corner 30 degrees with 5 channels



BALANCED / LOW Z CABLES



Colour option list

The MC201-205 is Professional Balanced Microphone cable with Spiral shield and flexible PVC jacket
 Conductor drains mm: OFC 20x0.12
 Filler materials: Cotton
 1st Shield: OFC twisted 64x0.12, Spiral
 Out Jacket: black
 Shield resistance: -
 Working Temperature min/Max: -20°C/+70°C

Conductor insulation: PE red+white, 1.5mm
 Nominal Impedance: 110ohm
 2nd shield: -
 Conductor resistance: 80ohm/Km
 Capacity inner conductor: 78pF/m

UNBALANCED / HI Z CABLES



Colour option list

MC 101-105 series is a elementary unbalanced microphone cable 0.23mm" with flexible overall jacket - OFC (Oxygen Free Copper).
 Insulation: PE
 Shield: Spiral > 70%
 Electrical resistance: < 110ohm/Km
 Operating Temperature: -20°C/+70°C
 Mini bending radius: 20x cable section radius
 Packaging: 100m per spool

INSTRUMENT CABLE



Colour option list

The series is a high performance instrument cable with noiseless, long unbalance leads for equipment. All card has double protector PVC jacket. There are different diameters 0.4.0mm-0.8.0mm

INSTRUMENT CABLE / BRAIDED



Colour option list

High quality Noiseless instrument cable (1x0.23mm") with natural cotton covered overall jacket - OFC (Oxygen Free Copper).
 The diameters is 0.4.0mm-0.8.0mm

SPEAKER CABLE / 2 CONDUCTOR



Colour option list

High-quality flexible 2 twisted conductors professional speaker cable
 Applicant fields: Audio connections
 Conductors: Bare copper OFC (Oxygen Free Copper)
 Electrical resistance: 24.2/12/7.4/7.4/4.5ohm/Km @20°C
 Electrical Capacitance: < 130pF/Km@1K Hz
 Operating Temperature: -20°C/+70°C
 Minimum Bending radius: 10x overall diameter
 Working tension: 300/500V
 Packaging: 100m per spool

SPEAKER CABLE / 4 & 8 CONDUCTOR



Colour option list

High-quality flexible 4 twisted conductors professional speaker cable
 Applicant fields: Audio connections
 Conductors: Bare copper OFC (Oxygen Free Copper)
 Electrical resistance: 12/7.4/7.4/4.5ohm/Km @20°C
 Electrical Capacitance: < 130pF/Km@1K Hz
 Operating Temperature: -20°C/+70°C
 Minimum Bending radius: 10x overall diameter
 Working tension: 300/500V
 Packaging: 100m per spool



SPEAKER CABLE





Colour option list

Black	Blue	Red	White
-------	------	-----	-------

High-quality flexible 2 twisted conductors professional speaker cable
 Applicant fields: Audio connections
 Conductors: Bare copper OFC (Oxygen Free Copper)
 Electrical resistance: 24.2/12/12/7.4/7.4/4.5ohm/Km @20°C
 Electrical Capacitance: <130pF/Km@1K Hz
 Operating Temperature: -20°C/+70°C
 Minimum Bending radius: 10xoverall diameter


Working tension: 300/500V
 Packaging: 100m per spool

AUDIO SNAKE CABLES

This series is a high level multi-pair cable consists of 100% shielded conductor, individually number printed and coloured to allow an easy identification jacket is made by flexible PVC, it offers a good flexibility even at very high temperatures.
 Conductor 7x0.15mm (0.123mm²), shield 7x0.15 twisted copper with 100% shield, Jacket filled nature cotton and flexible PVC,
 Electrical resistance: <80ohm/Km,
 Electrical Capacitance: 60pF/m and 100pF/m@1KHz,
 Nominal Impedance: 85ohm,
 Velocity tension: 66%,
 Operation Temperature: -20°C/+60°C

PATCH CABLES





Colour option list

Black	Blue	Red	White
Green	Yellow	Purple	Grey

The series is a high performance instrument cable with noiseless, long unbalance leads for equipment. All card has double protector PVC jacket. There are different diameters 0.D.4.0mm-0.D.8.0mm

PATCH CABLES

Colour option list


Black	Blue	Red	White
Green	Yellow	Purple	Grey

The series is a high performance instrument cable with noiseless, long unbalance leads for equipment. All card has double protector PVC jacket. There are different diameters 0.D.4.0mm-0.D.8.0mm



WWW.PROLOK-USA.COM | THE SOLID SOLUTION

Professional Racks, Cases, Support Systems, Cables & Bags



PRO-LOK

7091 NW 51 Street,
Miami, FL 33166

Phone: (305) 740-7454
Fax: (305) 740-7456

www.prolok-usa.com
info@prolok-usa.com

PRO-LOK[®]

THE **SOLID** SOLUTION



scan me



www.prolok-usa.com

Printed in the Americas